OUKA
The University of Osaka
Institutional Knowledge Archive

Title	Back pages, Osaka J Math, Volume36, Number 4
Author(s)	
Citation	Osaka Journal of Mathematics. 1999, 36(4)
Version Type	VoR
URL	https://hdl.handle.net/11094/21185
rights	
Note	

The University of Osaka Institutional Knowledge Archive : OUKA

https://ir.library.osaka-u.ac.jp/

The University of Osaka

ISSN 0030-6126

OSAKA JOURNAL OF MATHEMATICS

EDITED BY

A. KASUE S. KOTANI M. MASUDA

M. MIYANISHI(Chairman) T. NISHITANI

WITH THE COOPERATION OF

E. DATE
T. IBUKIYAMA
T. KAMAE
A. KASUE
N. KOISO
A. MATSUMURA
Y. NAKAMURA
T. SUZUKI

A. FUJIKI
M. IKAWA
Y. KAMETAKA
N. KAWANAKA
T. KOMATSU
H. NAGAI
M. NAMBA
Y. TSUSHIMA
Y. YAMAMOTO

T. HIBI
Y. IMAYOSHI
M. KANEDA
A. KAWAUCHI
T. MABUCHI
M. NAGASE
Y. SAKANE
S. USUI

Vol. 36 1999

PUBLISHED JOINTLY BY THE

DEPARTMENTS OF MATHEMATICS

OSAKA UNIVERSITY AND OSAKA CITY UNIVERSITY

INDEX

Abe, Y.: Meromorphic functions admitting an algebraic addition theorem..... 343
Akita, T.: On the Euler characteristic of the orbit space of a proper Γ-complex..... 783
Arakawa, T.: Partially negative cycles and projective embeddings of surfaces of general type..... 605
Atsumi, T.: Short proofs of Hiramine' results on character values..... 1059
Chen, Q. and Cheng, Y.: Asymptotic behavior and area growth of minimal surfaces in H^n..... 397
Cheng, Y. and Chen, Q.: Asymptotic behavior and area growth of minimal surfaces in H^n..... 397
Choulli, M. and Stefanov, P.: An inverse boundary value problem for the stationary transport equation..... 87
Chung, S.-Y.: Decomposition theorems for the temperature functions with singularity..... 557
———: Reflection principles for temperature functions. 575
Coppens, M.: Existence of pencils with prescribed scrollar invariants of some general type..... 1049
Fujisaki, M.: On probabilistic approach to the eigenvalue problem for maximal elliptic operator..... 981
Fukuda, S.: A base point free theorem for log canonical surfaces..... 337
Fukushima, M. , Shima, T. and Takeda, M.: Large deviations and related *LIL*'s for Brownian motions on nested fractals..... 497
Guerbati, K. and Mechab, M.: Problème de Goursat dans des classes de Gevrey anisotropes. 935
Gurjar, R. and Pradeep, C. R. V.: **Q**-homology planes are rational-III..... 259
Hausenblas, E.: A numerical scheme using Ito excursions for simulating local time resp. stochastic differential equations with reflection. 105
Hayashi, C.: Satellite knots in 1-genus 1-bridge positions..... 711
Honda, N.: Danaldson-Friedman construction and deformations of a triple of compact complex spaces..... 641
Hoshino, M. and Sumioka, T.: Colocal pairs in perfect rings..... 587
Inoue, A.: On a "Hamiltonian path-integral" derivation of the schrödinger equation..... 861
Ishiwata, A. and Taniguchi, S.: On the analyticity of stochastic flows..... 139

Kamada, S.: Unknotting immersed surface-links and singular 2-dimensional braids by 1-handle surgeries. 33
Kamiyama, Y.: Topology of equilateral polygon linkages in the euclidean plane modulo isometry group. 731
Kasagawa, R.: An extension of Milnor's inequality. 27
Kawanaka, N.: A q-series identity involving schur functions and related topics. 157
Kito, H.: On hessian structures on the euclidean space and the hyperbolic space. 51
Kosugi, N.: Functional limit theorem for occupation times of gaussian processes-non-critical case. 149
Lau, K.-S. and Ngai, S.-M.: L^q-spectrum of Bernoulli convolutions associated with PV numbers. 993
Le, T. T. Q., Murakami, H., Murakami, J. and Ohtsuki, T.: A three-manifold invariant via the Kontsevich integral. 365
Louboutin, S. and Okazaki, R.: Determination of all quatenion CM-fields with ideal class groups of exponent. 229
Mashiko, Y.: Affine functions on Alexandrov surfaces. 853
Mechab, M. and Guerbati, K.: Problème de Goursat dans des classes de Gevrey anisotropes. 935
Morimoto, M. and Pawałowski, K.: Equivariant wedge sum construction of finite contractible G-CW complexes with G-vector bundles. 767
Murakami, H., Murakami, J., Ohtsuki, T. and Le, T. T. Q.: A three-manifold invariant via the Kontsevich integral. 365
Murakami, J., Ohtsuki, T., Le, T. T. Q., and Murakami, H.: A three-manifold invariant via the Kontsevich integral. 365
Nagasaki, I.: Unstable jO-groups and stably linear homotopy for representations for p-groups. 1
Nagase, M. and Yoshida, M.: Commutator estimates and a sharp form of Gårding's inequality. 919
Ngai, S.-M. and Lau, K.-S.: L^q-spectrum of Bernoulli convolutions associated with PV numbers. 993
Nishio, M., Shimomura, K. and Suzuki, N.: Note on poly-supertemperatures on a strip domain. 539
Nishio, M.: On value functions of stochastic differential games in infinite dimensions and its application to sensitive control. 465

Ohmiya, M.: Spectrum of Darboux transformation of differential operator. 949
Ohtsuki, T., Le, T. T. Q., Murakami, H. and Murakami, J.: A three-manifold invariant via the Kontsevich integral. 365
Okazaki, R. and Louboutin, S.: Determination of all quaternion *CM* -fields with ideal class groups of exponent. 229
Pawałowski, K. and Morimoto, M.: Equivariant wedge sum construction of finite contractible *G-CW* complexes with *G*-vector bundles. 767
Podẽsta, F. and Spiro, A.: Kähler manifolds with large isometry group.... 805
Pradeep, C. R. V. and Gurjar, R.: **Q**-homology planes are rational- III. ... 259
Reissig, M. and Yagdjian, K.: Weakly hyperbolic equations with fast oscillating coefficients. 437
Sato, R.: Elementary proofs of pointwise ergodic theorems for measures preserving transformations. 485
Schulze, B.-W. and Tarkhanov, N.: The Riemann-Roch theorem for manifolds with conical singularities. 1011
Shima, T., Takeda, M. and Fukushima, M.: Large deviations and related *LIL*'s for Brownian motions on nested fractals. 497
Shimomura, K., Suzuki, N. and Nishio, M.: Note on poly-supertemperatures on a strip domain. 539
Spiro, A. and Podestã, F.: Kähler manifolds with large isometry group.... 805
Stefanov, P. and Choulli, M.: An inverse boundary value problem for the stationary transport equation. 87
Sukizaki, H.: The Mckay numbers of a subgroup of *GL(n,q)* containing *SL(n,q)*. 177
Sumioka, T. and Hoshino, M.: Colocal pairs in perfest rings. 587
Suzuki, N., Nishio, M. and Shimomura, K.: Note on poly-supertemperatures on a strip domain. 539
Takeda, M., Fukushima, M. and Shima, T.: Large deviations and related *LIL*'s for Brownian motions on nested fractals. 497
Takegoshi, K.: Torsion freeness theorems for higher direct images of canonical sheaves by a certain convex Kähler morphism. 17
Tamaru, H.: Riemannian *G.O.* spaces fibered over irreducible symmetric spaces. 835
Tanaka, T.: Algebraic independence results related to linear recurrences... 203
Taniguchi, S. and Ishiwata, A.: On the analyticity of stochastic flows..... 139
Taniguchi, Y.: On congruent holomorphic mappings into a hermitian symmetric space. 793

Tarasov, V.: Bilinear identity for q-hypergeometric integrals. 409
Tarkhanov, N. and Schulze, B.-W.: The Riemann-Roch theorem for manifolds with conical singularities. 1011
Tozaki, S.: Characterizations of almost QF rings. 195
Tsuchihashi, H.: Galois covering singularities II. 615
Wada, T.: Scattering theory for time-dependent Hartree-Fock type equation. 905
Yagdjian, K. and Reissig, M.: Weakly hyperbolic equations with fast oscillating coefficients. 437
Yamada, Y.: On the geometric intersection number of an immersed manifold and a plane. 673
Yokoyama, K.: Asymptotic completeness for hamiltonians with time-dependent electric fields. 63
Yonebayashi, Y.: Note on simple stable maps of 3-manifolds into surfaces. 685
Yoshida, M. and Nagase, M.: Commutator estimates and a sharp form of Gårding's inequality. 919
Yoshimura, Z.-I.: Quasi KO_*-types of CW-spectra X with $KU_*X \cong$ Free $\bigoplus \mathbf{Z}/2^m$. 747

Preparation of Manuscripts

The authors are required to prepare the manuscripts in English, French or German and submit them with extra two copies to

Editor in Chief, Osaka Journal of Mathematics,
Department of Mathematics, Graduate School of Science, Osaka University,
1-1 Machikaneyama-cho, Toyonaka, Osaka 560-0043, Japan

Manuscripts should be typed and legible. Those prepared on TEX should be typeset in 12 point fonts with enough line intervals and margins. The authors are required to observe the following style rules:

1. Abstract or summary should not be attached. The author's address together with his (or her) affiliation is to be written on the last page after the references.

2. In the margin of the first page of the manuscript, write a proposed running head.

3. The references should be quoted by numbers, not by the abbreviations of the names or titles. In the Reference the entries should be written as in the next examples:

   [1] H.F. Baker: On finite groups, Canad. J. Math. **25** (1973), 35-48.
   [2] C.M. Davis: Group Theory, Springer, Berlin-Heidelberg-New York, 1965.

4. Theorem, Proposition, Lemma, Corollary should be written as **Theorem, Proposition, Lemma, Corollary** in the bold face, while Definition, Notation, Remark, Example, Acknowledgement should be written in romans as DEFINITION, NOTATION, REMARK, EXAMPLE, ACKNOWLEDGEMENT with small capitals from the second letter on Proof is written in romans.

5. Figures should be drawn in black ink and prepared in separate sheets with adequate numbering.

The authors will be required to make the marking of special letters such as boldface, script, German, Greek letters, etc. following the instruction to be mailed after their articles are accepted for publication by the editorial board.

CONTENTS

Yosimura, Z.: Quasi KO_*-types of CW-spectra X with $KU_*X \cong$ Free $\bigoplus \mathbf{Z}/2^m$ 747

Morimoto, M. and Pawałowski, K.: Equivariant wedge sum construction of finite contractible G-CW complexes with G-vector bundles 767

Akita, T.: On the Euler characteristic of the orbit space of a proper Γ-complex 783

Taniguchi, Y.: On congruent holomorphic mappings into a hermitian symmetric space 793

Podestà, F. and Spiro, A.: Kähler manifolds with large isometry group 805

Tamaru, H.: Riemannian G.O. spaces fibered over irreducible symmetric spaces 835

Mashiko, Y.: Affine functions on Alexandrov surfaces 853

Inoue, A.: On a "Hamiltonian path-integral" derivation of the Schrödinger equation 861

Wada, T.: Scattering theory for time-dependent Hartree-Fock type equation 905

Nagase, M. and Yoshida, M.: Commutator estimates and a sharp form of Gårding's inequality 919

Guerbati, K. and Mechab, M.: Problème de Goursat dans des classes de Gevrey anisotropes 935

Ohmiya, M.: Spectrum of Darboux transformation of differential operator 949

Fujisaki, M.: On probabilistic approach to the eigenvalue problem for maximal elliptic operator 981

Lau, K.-S. and Ngai, S.-M.: L^q-spectrum of Bernoulli convolutions associated with PV numbers 993

Schulze, B.-W. and Tarkhanov, N.: The Riemann-Roch theorem for manifolds with conical singularities 1011

Coppens, M.: Existence of pencils with prescribed scrollar invariants of some general type 1049

Atsumi, T.: Short proofs of Hiramine' results on character values 1059

TEX typesetting & printed by
TOPPAN PRINTING CO.,LTD.
3-22-61 Ebie, Fukushima-ku, Osaka, 553-8580 Japan