

| | |
|--------------|---|
| Title | Back pages, Osaka J Math, Volume36, Number 4 |
| Author(s) | |
| Citation | Osaka Journal of Mathematics. 1999, 36(4) |
| Version Type | VoR |
| URL | https://hdl.handle.net/11094/21185 |
| rights | |
| Note | |

Osaka University Knowledge Archive : OUKA

<https://ir.library.osaka-u.ac.jp/>

Osaka University

OSAKA JOURNAL OF MATHEMATICS

EDITED BY

A. KASUE S. KOTANI M. MASUDA
M. MIYANISHI(Chairman) T. NISHITANI

WITH THE COOPERATION OF

| | | |
|--------------|-------------|-------------|
| E. DATE | A. FUJIKI | T. HIBI |
| T. IBUKIYAMA | M. IKAWA | Y. IMAYOSHI |
| T. KAMAE | Y. KAMETAKA | M. KANEDA |
| A. KASUE | N. KAWANAKA | A. KAWAUCHI |
| N. KOISO | T. KOMATSU | T. MABUCHI |
| A. MATSUMURA | H. NAGAI | M. NAGASE |
| Y. NAKAMURA | M. NAMBA | Y. SAKANE |
| T. SUZUKI | Y. TSUSHIMA | S. USUI |
| | Y. YAMAMOTO | |

Vol. 36 1999

PUBLISHED JOINTLY BY THE
DEPARTMENTS OF MATHEMATICS
OSAKA UNIVERSITY AND OSAKA CITY UNIVERSITY

INDEX

| | |
|---|------|
| Abe, Y.: Meromorphic functions admitting an algebraic addition theorem..... | 343 |
| Akita, T.: On the Euler characteristic of the orbit space of a proper Γ -complex..... | 783 |
| Arakawa, T.: Partially negative cycles and projective embeddings of surfaces of general type..... | 605 |
| Atsumi, T.: Short proofs of Hiramine' results on character values..... | 1059 |
| Chen, Q. and Cheng, Y.: Asymptotic behavior and area growth of minimal surfaces in H^n | 397 |
| Cheng, Y. and Chen, Q.: Asymptotic behavior and area growth of minimal surfaces in H^n | 397 |
| Choulli, M. and Stefanov, P.: An inverse boundary value problem for the stationary transport equation..... | 87 |
| Chung, S.-Y.: Decomposition theorems for the temperature functions with singularity..... | 557 |
| ———: Reflection principles for temperature functions. | 575 |
| Coppens, M.: Existence of pencils with prescribed scrollar invariants of some general type..... | 1049 |
| Fujisaki, M.: On probabilistic approach to the eigenvalue problem for maximal elliptic operator..... | 981 |
| Fukuda, S.: A base point free theorem for log canonical surfaces..... | 337 |
| Fukushima, M. , Shima, T. and Takeda, M.: Large deviations and related LIL 's for Brownian motions on nested fractals..... | 497 |
| Guerbati, K. and Mechab, M.: Problème de Goursat dans des classes de Gevrey anisotropes. | 935 |
| Gurjar, R. and Pradeep, C. R. V.: \mathbf{Q} -homology planes are rational-III..... | 259 |
| Hausenblas, E.: A numerical scheme using Ito excursions for simulating local time resp. stochastic differential equations with reflection. | 105 |
| Hayashi, C.: Satellite knots in 1-genus 1-bridge positions..... | 711 |
| Honda, N.: Donaldson-Friedman construction and deformations of a triple of compact complex spaces..... | 641 |
| Hoshino, M. and Sumioka, T.: Colocal pairs in perfect rings..... | 587 |
| Inoue, A.: On a "Hamiltonian path-integral" derivation of the schrödinger equation..... | 861 |
| Ishiwata, A. and Taniguchi, S.: On the analyticity of stochastic flows..... | 139 |

| | |
|---|-----|
| Kamada, S.: Unknotting immersed surface-links and singular 2-dimensional braids by 1-handle surgeries..... | 33 |
| Kamiyama, Y.: Topology of equilateral polygon linkages in the euclidean plane modulo isometry group..... | 731 |
| Kasagawa, R.: An extension of Milnor's inequality..... | 27 |
| Kawanaka, N.: A q -series identity involving schur functions and related topics..... | 157 |
| Kito, H.: On hessian structures on the euclidean space and the hyperbolic space..... | 51 |
| Kosugi, N.: Functional limit theorem for occupation times of gaussian processes-non-critical case..... | 149 |
| Lau, K.-S. and Ngai, S.-M.: L^q -spectrum of Bernoulli convolutions associated with PV numbers..... | 993 |
| Le, T. T. Q., Murakami, H., Murakami, J. and Ohtsuki, T.: A three- manifold invariant via the Kontsevich integral..... | 365 |
| Louboutin, S. and Okazaki, R.: Determination of all quatenion CM -fields with ideal class groups of exponent..... | 229 |
| Mashiko, Y.: Affine functions on Alexandrov surfaces..... | 853 |
| Mechab, M. and Guerbati, K.: Problème de Goursat dans des classes de Gevrey anisotropes..... | 935 |
| Morimoto, M. and Pawałowski, K.: Equivariant wedge sum construction of finite contractible G -CW complexes with G -vector bundles..... | 767 |
| Murakami, H., Murakami, J., Ohtsuki, T. and Le, T. T. Q.: A three- manifold invariant via the Kontsevich integral..... | 365 |
| Murakami, J., Ohtsuki, T., Le, T. T. Q., and Murakami, H.: A three- manifold invariant via the Kontsevich integral..... | 365 |
| Nagasaki, I.: Unstable jO -groups and stably linear homotopy for representations for p -groups..... | 1 |
| Nagase, M. and Yoshida, M.: Commutator estimates and a sharp form of Gårding's inequality..... | 919 |
| Ngai, S.-M. and Lau, K.-S.: L^q -spectrum of Bernoulli convolutions associated with PV numbers..... | 993 |
| Nishio, M., Shimomura, K. and Suzuki, N.: Note on poly-supertemperatures on a strip domain..... | 539 |
| Nishio, M.: On value functions of stochastic differential games in infinite dimensions and its application to sensitive control..... | 465 |

| | |
|--|------|
| Ohmiya, M.: Spectrum of Darboux transformation of differential operator..... | 949 |
| Ohtsuki, T., Le, T. T. Q., Murakami, H. and Murakami, J.: A three-manifold invariant via the Kontsevich integral..... | 365 |
| Okazaki, R. and Louboutin, S.: Determination of all quaternion CM -fields with ideal class groups of exponent..... | 229 |
| Pawałowski, K. and Morimoto, M.: Equivariant wedge sum construction of finite contractible G -CW complexes with G -vector bundles..... | 767 |
| Podestà, F. and Spiro, A.: Kähler manifolds with large isometry group.... | 805 |
| Pradeep, C. R. V. and Gurjar, R.: \mathbb{Q} -homology planes are rational- III. ... | 259 |
| Reissig, M. and Yagdjian, K.: Weakly hyperbolic equations with fast oscillating coefficients. | 437 |
| Sato, R.: Elementary proofs of pointwise ergodic theorems for measures preserving transformations..... | 485 |
| Schulze, B.-W. and Tarkhanov, N.: The Riemann-Roch theorem for manifolds with conical singularities..... | 1011 |
| Shima, T., Takeda, M. and Fukushima, M.: Large deviations and related LIL 's for Brownian motions on nested fractals..... | 497 |
| Shimomura, K., Suzuki, N. and Nishio, M.: Note on poly-supertemperatures on a strip domain. | 539 |
| Spiro, A. and Podestà, F.: Kähler manifolds with large isometry group.... | 805 |
| Stefanov, P. and Choulli, M.: An inverse boundary value problem for the stationary transport equation..... | 87 |
| Sukizaki, H.: The Mckay numbers of a subgroup of $GL(n,q)$ containing $SL(n,q)$ | 177 |
| Sumioka, T. and Hoshino, M.: Colocal pairs in perfect rings. | 587 |
| Suzuki, N., Nishio, M. and Shimomura, K.: Note on poly-supertemperatures on a strip domain. | 539 |
| Takeda, M., Fukushima, M. and Shima, T.: Large deviations and related LIL 's for Brownian motions on nested fractals..... | 497 |
| Takegoshi, K.: Torsion freeness theorems for higher direct images of canonical sheaves by a certain convex Kähler morphism..... | 17 |
| Tamaru, H.: Riemannian $G.O.$ spaces fibered over irreducible symmetric spaces. | 835 |
| Tanaka, T.: Algebraic independence results related to linear recurrences... | 203 |
| Taniguchi, S. and Ishiwata, A.: On the analyticity of stochastic flows..... | 139 |
| Taniguchi, Y.: On congruent holomorphic mappings into a hermitian symmetric space. | 793 |

| | |
|--|------|
| Tarasov, V.: Bilinear identity for q -hypergeometric integrals. | 409 |
| Tarkhanov, N. and Schulze, B.-W.: The Riemann-Roch theorem for manifolds with conical singularities. | 1011 |
| Tozaki, S.: Characterizations of almost QF rings. | 195 |
| Tsuchihashi, H.: Galois covering singularities II. | 615 |
| Wada, T.: Scattering theory for time-dependent Hartree-Fock type equation. | 905 |
| Yagdjian, K. and Reissig, M.: Weakly hyperbolic equations with fast oscillating coefficients. | 437 |
| Yamada, Y.: On the geometric intersection number of an immersed manifold and a plane. | 673 |
| Yokoyama, K.: Asymptotic completeness for hamiltonians with time-dependent electric fields. | 63 |
| Yonebayashi, Y.: Note on simple stable maps of 3-manifolds into surfaces. | 685 |
| Yoshida, M. and Nagase, M.: Commutator estimates and a sharp form of Gårding's inequality. | 919 |
| Yoshimura, Z.-I.: Quasi KO_* -types of CW -spectra X with $KU_*X \cong$ $\text{Free} \bigoplus \mathbf{Z}/2^m$ | 747 |

Preparation of Manuscripts

The authors are required to prepare the manuscripts in English, French or German and submit them with extra two copies to

Editor in Chief, Osaka Journal of Mathematics,
Department of Mathematics, Graduate School of Science, Osaka University,
1-1 Machikaneyama-cho, Toyonaka, Osaka 560-0043, Japan

Manuscripts should be typed and legible. Those prepared on TEX should be typeset in 12 point fonts with enough line intervals and margins. The authors are required to observe the following style rules:

1. Abstract or summary should not be attached. The author's address together with his (or her) affiliation is to be written on the last page after the references.
2. In the margin of the first page of the manuscript, write a proposed running head.
3. The references should be quoted by numbers, not by the abbreviations of the names or titles. In the Reference the entries should be written as in the next examples:

[1] H.F. Baker: On finite groups, *Canad. J. Math.* **25** (1973), 35-48.
[2] C.M. Davis: *Group Theory*, Springer, Berlin-Heidelberg-New York, 1965.
4. Theorem, Proposition, Lemma, Corollary should be written as **Theorem**, **Proposition**, **Lemma**, **Corollary** in the bold face, while Definition, Notation, Remark, Example, Acknowledgement should be written in romans as DEFINITION, NOTATION, REMARK, EXAMPLE, ACKNOWLEDGEMENT with small capitals from the second letter on Proof is written in romans.
5. Figures should be drawn in black ink and prepared in separate sheets with adequate numbering.

The authors will be required to make the marking of special letters such as boldface, script, German, Greek letters, etc. following the instruction to be mailed after their articles are accepted for publication by the editorial board.

CONTENTS

| | |
|--|------|
| Yosimura, Z.: Quasi KO_* -types of CW -spectra X with $KU_*X \cong \text{Free } \bigoplus \mathbf{Z}/2^m$ | 747 |
| Morimoto, M. and Pawałowski, K.: Equivariant wedge sum construction of finite contractible G - CW complexes with G -vector bundles | 767 |
| Akita, T.: On the Euler characteristic of the orbit space of a proper Γ -complex | 783 |
| Taniguchi, Y.: On congruent holomorphic mappings into a hermitian symmetric space | 793 |
| Podestà, F. and Spiro, A.: Kähler manifolds with large isometry group. ... | 805 |
| Tamaru, H.: Riemannian $G.O.$ spaces fibered over irreducible symmetric spaces | 835 |
| Mashiko, Y.: Affine functions on Alexandrov surfaces | 853 |
| Inoue, A.: On a "Hamiltonian path-integral" derivation of the Schrödinger equation | 861 |
| Wada, T.: Scattering theory for time-dependent Hartree-Fock type equation | 905 |
| Nagase, M. and Yoshida, M.: Commutator estimates and a sharp form of Gårding's inequality | 919 |
| Guerbati, K. and Mechab, M.: Problème de Goursat dans des classes de Gévrey anisotropes | 935 |
| Ohmiya, M.: Spectrum of Darboux transformation of differential operator. ... | 949 |
| Fujisaki, M.: On probabilistic approach to the eigenvalue problem for maximal elliptic operator | 981 |
| Lau, K.-S. and Ngai, S.-M.: L^q -spectrum of Bernoulli convolutions associated with PV numbers | 993 |
| Schulze, B.-W. and Tarkhanov, N.: The Riemann-Roch theorem for manifolds with conical singularities | 1011 |
| Coppens, M.: Existence of pencils with prescribed scrollar invariants of some general type | 1049 |
| Atsumi, T.: Short proofs of Hiramine' results on character values | 1059 |