

Title	Correction to : "A construction for irregular discriminants,"
Author(s)	Craig, Maurice
Citation	Osaka Journal of Mathematics. 1978, 15(2), p. 461
Version Type	VoR
URL	<a href="https://doi.org/10.18910/4838">https://doi.org/10.18910/4838</a>
rights	
Note	

*Osaka University Knowledge Archive : OUKA*

<https://ir.library.osaka-u.ac.jp/>

Osaka University

Craig, M.  
Osaka J. Math.  
15 (1978), 461

CORRECTION TO  
"A CONSTRUCTION FOR IRREGULAR DISCRIMINANTS"

MAURICE CRAIG

This Journal, vol. 14 (1977), 365–402

(Received January 23, 1978)

- 365 –11 ...the ideal  $(A_i, \frac{1}{2}(B_i + \sqrt{D}))$ ...
- 390 +11 ...once it is determined that the square-free part of  $D(t)$  has degree at least three.
- 391 –12 ...we observe that  $(A_i(t), B_i(t))$  divides  $R_i$  hence  $T$ . By (77), it must therefore divide  $(A_i(3), B_i(3))$ , which equals 1 by Part 7.
- 400 +8  $\nu=17555^2+462\cdot 389^2$

It may also be remarked that both (33) and the solution discussed in Note A can be obtained by the chord and tangent process applied to the intersections of the plane cubic curve (27) with the line  $\lambda=0$ .

