



Title	Correction to : "A construction for irregular discriminants",
Author(s)	Craig, Maurice
Citation	Osaka Journal of Mathematics. 1978, 15(2), p. 461
Version Type	VoR
URL	https://doi.org/10.18910/4838
rights	
Note	

The University of Osaka Institutional Knowledge Archive : OUKA

<https://ir.library.osaka-u.ac.jp/>

The University of Osaka

Craig, M.
Osaka J. Math.
15 (1978), 461

CORRECTION TO
“A CONSTRUCTION FOR IRREGULAR DISCRIMINANTS”

MAURICE CRAIG

This Journal, vol. 14 (1977), 365–402

(Received January 23, 1978)

365 –11 …the ideal $(A_i, \frac{1}{2}(B_i + \sqrt{D}))$ …
390 +11 …once it is determined that the square-free part of $D(t)$ has degree at least three.
391 –12 …we observe that $(A_i(t), B_i(t))$ divides R_i hence T . By (77), it must therefore divide $(A_i(3), B_i(3))$, which equals 1 by Part 7.
400 +8 $\nu = 17555^2 + 462 \cdot 389^2$

It may also be remarked that both (33) and the solution discussed in Note A can be obtained by the chord and tangent process applied to the intersections of the plane cubic curve (27) with the line $\lambda=0$.

