

Title	Corrections and supplements to : "On the Schur indices of the finite unitary groups"
Author(s)	Ohmori, Zyozyu
Citation	Osaka Journal of Mathematics. 1981, 18(1), p. 289-289
Version Type	VoR
URL	https://doi.org/10.18910/4883
rights	
Note	

Osaka University Knowledge Archive : OUKA

<https://ir.library.osaka-u.ac.jp/>

Osaka University

CORRECTIONS AND SUPPLEMENTS TO
**“ON THE SCHUR INDICES OF THE FINITE
UNITARY GROUPS”**

ZYOZYU OHMORI

(Received October 25, 1979)

Except in the statement of Theorems A and C of [1] Q must be everywhere replaced by the l -adic number field Q_l where l is any rational prime different from p . In fact, Lemma 3.1 of [1] holds only for Q_l (see [2]) so that the argument in the proof of Theorem B holds only for Q_l . Thus the statement of Main Theorem of [1] must be read:

Main Theorem. *Assume that p and q are sufficiently large. Then, for any rational prime l different from p , the Schur index of any complex irreducible character of $U(n, q^2)$ over Q_l is 1.*

In [2], the rational Schur indices of the complex irreducible characters of $U(2, q^2)$ and $U(3, q^2)$ are determined for any p and any q , and some general results on the Schur indices of $U(n, q^2)$ for $n > 3$ are also obtained.

References

- [1] Z. Ohmori: *On the Schur indices of the finite unitary groups*, Osaka J. Math. **15** (1978), 359–363.
- [2] ———: *On the Schur indices of reductive groups II*, to appear in Quarterly J. Math. Oxford (2).

Department of Mathematics
Tokyo Metropolitan University
Fukazawa, Setagaya-ku
Tokyo 158, Japan

