



Title	Correction to : An application of functional higher operation
Author(s)	Yamamoto, Noboru
Citation	Osaka Journal of Mathematics. 1966, 3(1), p. 185-185
Version Type	VoR
URL	https://doi.org/10.18910/9524
rights	
Note	

The University of Osaka Institutional Knowledge Archive : OUKA

<https://ir.library.osaka-u.ac.jp/>

The University of Osaka

Yamamoto, N.
Osaka J. Math.
3 (1966), 185

CORRECTION TO
**AN APPLICATION OF FUNCTIONAL
HIGHER OPERATION**

NOBORU YAMAMOTO

This Journal, vol. 2 (1965), 37-62

(Received March 25, 1966)

In the above titled paper, we defined a canonical chain complex. But the definition is incomplete and the following correction should be made.

From Line 1 bottom of p. 58 to Line 1 of p. 59 should be “is *k*-canonical for an integer $k \geq 0$ if F_0 consists of one Eilenberg-MacLane complex $K(\pi, N)$, B_1 is a cartesian product of $\Omega^{-k-1}F_0$ and Eilenberg-MacLane complexes of dimension $< N+k+1$, B_{t+1} is a cartesian product of $\Omega^{-kt}B_1$ and Eilenberg-MacLane complexes of dimension $< N+k(t+1)+1$ for $1 \leq t \leq r-1$, and there are canonical injections $j_t: \Omega^{-kt}F_0 \rightarrow \Omega B_t$, $\bar{j}_t: \Omega^{-kt}B_1 \rightarrow B_{t+1}$ such that”.

In Line 7 of Theorem 10.1 (i.e. Line 15 bottom of p. 59), “canonical” should read “*k*-canonical”. In Lemma 11.1 (Line 16 bottom of p. 60) “canonical” should read “*k*-canonical with $k=2(p^i-1)$ ”.

EHIME UNIVERSITY

