

Title	Pulmonary Arterial Pressure Management Based on Oral Medicine for Pediatric Living Donor Liver Transplant With Portopulmonary Hypertension
Author(s)	Ueno, T.; Hiwatashi, S.; Saka, R. et al.
Citation	Transplantation Proceedings. 2018, 50(9), p. 2614-2618
Version Type	AM
URL	<a href="https://hdl.handle.net/11094/97128">https://hdl.handle.net/11094/97128</a>
rights	© 2018. This manuscript version is made available under the CC-BY-NC-ND 4.0 license <a href="https://creativecommons.org/licenses/by-nc-nd/4.0/">https://creativecommons.org/licenses/by-nc-nd/4.0/</a>
Note	

*Osaka University Knowledge Archive : OUKA*

<https://ir.library.osaka-u.ac.jp/>

Osaka University




Figure 1 clinical course of case 4

### A) PH medications

Case	Oral medication	PGI2 iv
1	Bosentan (ERA) 62.5mg	13ng/kg/min
2	Ambrisentan (ERA) 10mg Sildenafil (PDE5i) 5mg	8ng/kg/min
3	Tadalafil (PDE5i) 12mg Ambrisentan (ERA) 0.6mg	None
4	Sildenafil (PDE5i) 60mg Macitentan (ERA) 10mg	None

### B) mean PAP




Figure 2. Pre transplant treatment for pulmonary hypertension