

Title	Errata : On the uniqueness of the decomposition of a link
Author(s)	Hashizume, Y.
Citation	Osaka Mathematical Journal. 1959, 11(2), p. 249-249
Version Type	VoR
URL	https://doi.org/10.18910/7002
rights	
Note	

Osaka University Knowledge Archive : OUKA

<https://ir.library.osaka-u.ac.jp/>

Osaka University

ERRATA

HASHIZUME, Y.: *On the Uniqueness of the Decomposition of a Link.*

10 (1958), 283-300

p. 283, the bottom line. For "multiplicity" read "component".

p. 284, line 34. Delete "connected".

p. 284, line 35. For "genus" read "sum of the genera of each components".

p. 292, line 13—p. 294, line 9 (including Fig. 10, 11, 12). The proof of Case I(2) of Lemma 3 is superfluous. We need not consider this case by the similar reason as Case II(2).

p. 294, line 12—line 13. Delete "Since there is no cut line on E , one of M_1 or M_2 , say M_1 , is contained in Q_1^c ".

p. 296, line 6. For " Q_l " read " Q_i ".

p. 296, line 14. For " \tilde{Q}_j " read " Q_j ".

p. 298, line 3. Insert " (l_r, Q_r) by (\tilde{l}, \tilde{Q}) and" between "replacing" and " (l_i, \tilde{Q}_i) ".

p. 298, line 3. For " (l_i, \tilde{Q}_i) " read " (l_i, Q_i) ".

p. 298, line 25. For " \tilde{l}_1 " read " \tilde{l} ".

p. 298, line 25. For " $\tilde{l} \cdot (l - Q^c + Q_1')$ " read " $\tilde{l} \cdot (l - (Q_1^c + Q_1'))$ ".

p. 298, line 26. For " $l - (Q^c + Q_1')$ " read " $l - (Q_1^c + Q_1')$ ".

p. 298, line 28. For " $l \approx \tilde{l}_1'$ " read " $\tilde{l} \approx l_1'$ ".

p. 298, line 29. For " $l \cap Q_2'' = l \cap Q_1'$ " read " $l \cap Q_1'' \subset l \cap Q_1'$ ".

p. 298, line 30. For " Q_1' " read " Q_i'' ".

p. 298, line 31. Insert " $\subset Q_1''$ " between "Int Q_i'' ." and "If".

p. 298, line 34. Insert "We may assume that there is no Q_i'' of \mathcal{D}'' such that $Q_i'' \subset Q_1'$ " between " \mathcal{D}'' ." and "Let".

I thank Professor H. Schubert who pointed out errors in my paper and gave me useful advice.

